

Form 3: Characteristic Accountability, Verification, and Compatibility Evaluation



1. Part Number				2. Part Name			3. Serial Number		4. FAI Report	
R00087-036-70SL				O RING			N/A		N/A	
Characteristic Accountability				Inspection / Test Results						
5. Char. Num.	6. Reference Location	7. Characteristic Designator	8. Requirement	9. Results	Accept	Reject	10. Designed Tooling/Gauging used to accept product	11. Non-Conformance Number	14. Comments Related To This Requirement Or Result	
1	D5	ID	.087 +/- .005	0.0843	X		98-355			
1	D5	ID	.087 +/- .005	0.0846	X		98-355			
1	D5	ID	.087 +/- .005	0.0843	X		98-355			
1	D5	ID	.087 +/- .005	0.0844	X		98-355			
1	D5	ID	.087 +/- .005	0.0840	X		98-355			
1	D5	ID	.087 +/- .005	0.0847	X		98-355			
1	D5	ID	.087 +/- .005	0.0847	X		98-355			
1	D5	ID	.087 +/- .005	0.0841	X		98-355			
1	D5	ID	.087 +/- .005	0.0840	X		98-355			
1	D5	ID	.087 +/- .005	0.0848	X		98-355			
1	D5	ID	.087 +/- .005	0.0841	X		98-355			
1	D5	ID	.087 +/- .005	0.0844	X		98-355			
1	D5	ID	.087 +/- .005	0.0839	X		98-355			
1	D5	ID	.087 +/- .005	0.0842	X		98-355			
1	D5	ID	.087 +/- .005	0.0845	X		98-355			
1	D5	ID	.087 +/- .005	0.0844	X		98-355			
1	D5	ID	.087 +/- .005	0.0839	X		98-355			
1	D5	ID	.087 +/- .005	0.0842	X		98-355			
1	D5	ID	.087 +/- .005	0.0843	X		98-355			
1	D5	ID	.087 +/- .005	0.0840	X		98-355			
1	D5	ID	.087 +/- .005	0.0842	X		98-355			
1	D5	ID	.087 +/- .005	0.0839	X		98-355			
1	D5	ID	.087 +/- .005	0.0842	X		98-355			
1	D5	ID	.087 +/- .005	0.0839	X		98-355			
1	D5	ID	.087 +/- .005	0.0842	X		98-355			
1	D5	ID	.087 +/- .005	0.0846	X		98-355			

1	D5	ID	.087 +/- .005	0.0846	X		98-355	
1	D5	ID	.087 +/- .005	0.0846	X		98-355	
1	D5	ID	.087 +/- .005	0.0848	X		98-355	
1	D5	ID	.087 +/- .005	0.0847	X		98-355	
1	D5	ID	.087 +/- .005	0.0844	X		98-355	
1	D5	ID	.087 +/- .005	0.0842	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0654	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0651	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0645	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0653	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0652	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0646	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0651	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0647	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0646	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0650	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0649	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0654	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0651	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0645	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0648	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0653	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0649	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0647	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0649	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0649	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0645	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0653	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0649	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0649	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0645	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0648	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0652	X		98-355	
2	C5	X/Y	.063 +/- .003	0.0651	X		98-355	

2	C5	X/Y	.063 +/- .003	0.0649	X		98-355		
3	B8	Z	.063 +/- .003	0.0638	X		12-723		
3	B8	Z	.063 +/- .003	0.0636	X		12-723		
3	B8	Z	.063 +/- .003	0.0636	X		12-723		
3	B8	Z	.063 +/- .003	0.0639	X		12-723		
3	B8	Z	.063 +/- .003	0.0634	X		12-723		
3	B8	Z	.063 +/- .003	0.0638	X		12-723		
3	B8	Z	.063 +/- .003	0.0638	X		12-723		
3	B8	Z	.063 +/- .003	0.0632	X		12-723		
3	B8	Z	.063 +/- .003	0.0633	X		12-723		
3	B8	Z	.063 +/- .003	0.0632	X		12-723		
3	B8	Z	.063 +/- .003	0.0634	X		12-723		
3	B8	Z	.063 +/- .003	0.0636	X		12-723		
3	B8	Z	.063 +/- .003	0.0637	X		12-723		
3	B8	Z	.063 +/- .003	0.0637	X		12-723		
3	B8	Z	.063 +/- .003	0.0636	X		12-723		
3	B8	Z	.063 +/- .003	0.0633	X		12-723		
3	B8	Z	.063 +/- .003	0.0635	X		12-723		
3	B8	Z	.063 +/- .003	0.0634	X		12-723		
3	B8	Z	.063 +/- .003	0.0638	X		12-723		
3	B8	Z	.063 +/- .003	0.0636	X		12-723		
3	B8	Z	.063 +/- .003	0.0639	X		12-723		
3	B8	Z	.063 +/- .003	0.0635	X		12-723		
3	B8	Z	.063 +/- .003	0.0635	X		12-723		
3	B8	Z	.063 +/- .003	0.0632	X		12-723		
3	B8	Z	.063 +/- .003	0.0636	X		12-723		
3	B8	Z	.063 +/- .003	0.0637	X		12-723		
3	B8	Z	.063 +/- .003	0.0636	X		12-723		
3	B8	Z	.063 +/- .003	0.0634	X		12-723		
3	B8	Z	.063 +/- .003	0.0633	X		12-723		
3	B8	Z	.063 +/- .003	0.0634	X		12-723		

Signature indicates that all characteristics are accounted for, meet drawing requirements or are properly documented for disposition.

12. Prepared By: 13. Date